
Dart Aerospace Ltd. Friday, 22/08/2008 10:03:50 AM Date: l lser Julie Lecocq **Process Sheet** Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** : SADDLE FITTING, FWD (OUTBOARD/INBOARD) Job Number : 41588 **Estimate Number** : 10531 P.O. Number : D2572 **Part Number** This Issue : 22/08/2008 S.O. No. : **Drawing Number** D2572 REV E Prsht Rev. : NC : N/A **Project Number** : // :É : MACHINED PARTS First Issue Type **Drawing Revision** : 40515 **Previous Run** Material 8 Um: Each **Due Date** : 12/09/2008 Qty: Written By Checked & Approved By : Est: | 02.10.02 Re-format; Change to Dwg Rev. D & Comment incorporated D2572KJ **Additional Product** Job Number: Seq. #: **Machine Or Operation:** Description: 1.0 D6101005 Saddle Billet Comment: Qty.: 1.0000 Each(s)/Unit Total: 8.0000 Each(s) 7075-T7351 8.25X5.0X2.5 Make from D6101-005 billet for D2572 Ensure that grain is along 5.00" length Batch No: 634374 2.0 HAAS1 HAAS CNC VERTICAL MACHINING #1 Comment: HAAS CNC VERTICAL MACHINING #1 Double check by: Program Batch No. 1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets 3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets 4-Deburr and remove all machining marks 5-Tumble to remove shap edges. MILLING CONV. 3.0

Comment: CONVENTIONAL MILLING MACHINE

Machine keyway as per dwg D2571 & D2572

W.





## Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES							
DATE	STEP	PROCI	EDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
-		*						i	H
	"	· · · · · · · · · · · · · · · · · · ·							
				,					
	-	v		* 1.**					
	į			* 1		-3			***
Part No	•	PAR #:	Fault Category:	NC.	R: Yes	No <b>DQ</b>	A:	Date:	

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_ Date: \_

NCR:		÷	WORK OR	DER NON-CONFORMA	ANCE (NCR)		İ	
		Description of NC		Corrective Action Sect	tion B	Verification	Annuaval	A
DATE	STEP	Description of NC Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto
								γ
		€: s.						
				4				
		÷	e .	, (1)				
		•				100		*.

NOTE: Date & initial all entries

Date: Friday, 22/08/2008 10:03:50 AM User: Julie Lecoca **Process Sheet** Drawing Name: SADDLE FITTING, FWD (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services Job Number: 41588 Part Number: D2572 Job Number: Seq. #: **Machine Or Operation:** Description: 4.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE Comment: INSPECT PARTS AS THEY COME OFF MACHINE SECOND CHECK 5.0 QC8 Comment: SECOND CHECK 6.0 HAND FINISHING HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 7.0 108523 **Comment: POWDER COATING** Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 START TIME: **OVEN TEMPERATURE:** FINISH TIME: 8.0 QC3 Comment: INSPECT POWDER COAT 9.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: ( 10.0 Comment: FINAL IN TION/W/O RELEASE CLOB/09/29 Job Completion

## **Dart Aerospace Ltd**

W/O:			W	ORK ORDER CHANG	ES				-	
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	,	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		- 4-							6	
				·						
Part No	<u> </u>	PAR #:	Fault Cate	gory:	NCR: Y	es N	o <b>DQ</b> /	 A:	Date:	
Resolution:										
NCR:			WORK ORD	ER NON-CONFORM	ANCE (N	CR)				
DATE	STEP	Description of NC Section A	Initial Chief Eng	Corrective Action Sec Action Description Chief Eng		gn & ate		cation on C	Approval Chief Eng	Approval QC Inspector
			Criter Eng	Chief Eng		ale			- 1	
									1	
				4						
		·							1 1	
				110 400 4					2)	
					1,44					

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	41588
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443		.434	.438	.438	.439		
В	1.745	1.755		1.750	1.750	1,750	1.750		
С	3.495	3.505		3.500	7.500	3,500	3.500		
D	1.745	1.755		1,750	1.750	1.750	1.750		
Е	7.990	8.010		8,003	8,003	8.000	8.002		
F	0.490	0.510		.50	-500	-508	.501		
G	0.257	0.262		258	.258	259	.259		
Н	0.375	0.380		· 376	-376	1.377	-377		
ı	0.490	0.510		-500	500	- 504	-503		
J	1.174	1.184		1178	1-178	1.178	1.177		
K	0.558	0.578		-509	.558	,570	.570		
L	1.174	1.184		1-178	1.178	1.178	1.178		
М	1.490	1.500		6495	1.495	1.495	1.494		
N	2.495	2.505		2500	2500	2.499	2.499		
0	3.869	3.879		3,874	3,3>4	3.872	3.873		
Р	0.115	0.135		.125	125	1.126	-127		
Q	0.115	0.135		135	131	.135	.135		
R	0.240	0.260		.254	1254	. 257	-250		
S	0.115	0.135		.130	130	1.131	. /33		
T	0.178	0.198		184	1188	. 188	. 188		
U	2.940	2.980	·	2.960	2.960	2,960	2.9/06		
V	0.230	0.250		242	.242	.240	.241		
W	0.115	0.135		131	131	.129	.130		
X	0.307	0.312		.310	. 310	-3/0	.3/0		5
Υ	0.760	0.765		760	760	.7/00	.760		
Z	0.352	0.372		, 360	- 360	,357	.364		
AA	0.470	0.530		500	.500	. 500	.500		
AB	0.615	0.635		625	,625	.1027	.628		
AC	0.053	0.073		.063	<i>-0</i> 63	.063	.063		
AD	0.240	0.260		.250	.250	1.252	1.252		
AE	1.375	1.395		1.385	1-336	1.385	1.385		
AF	0.115	0.135		125	.125	./35	. 135		
AG	0.240	0.280		,250	,250	.250	-250		
АН	0.240	0.260		,250	210	.257	-257		
Al	2.000	2.020		2.000	200	2,002	2.002		
AJ	0.023	0.043		1033	033	.033	.033		
	Acc	ept/Reje	ct						

Measured by: SPI 1 19W	Audited by J.L.,
Date: 08/09/22/08/09/23	Date: 08/09/26

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	-1
E	05.12.05	Added dimension AJ	KJ/JLM 🚓	Gill


DART AEROSPACE LTD	Work Order:	41588
Description, Soddle Eud Inhoard	Part Number:	D2572
Description: Saddle, Fwd Inboard	Fait Number.	D2312
Inspection Dwg: D2572 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

				Recorded Actual Dimensions			ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443		.439	.439	.439	.438		
В	1.745	1.755		1.750	1.750	1.750	1,750		
С	3.495	3.505		3,500	3.500	3.500	3,500		
D	1.745	1.755		1.750	1,750	1.750	1.750		
E	7.990	8.010		8,001	8.001	8,000	8.000		
F	0.490	0.510		. 501	.502	.501	.500		
G	0.257	0.262		.259	200	-259	259		
Н	0.375	0.380		.377	-377	.377	.377		
ı	0.490	0.510		,502	,503	.501	.503		
J	1.174	1.184		1.179	1.178	1.178	1.178		
K	0.558	0.578		,570	,561	.570	.571		
L	1.174	1.184		1.179	1.177	1.178	1.17-8		
M	1.490	1.500		1.494	1.495	1.495	1.495		
N	2.495	2.505		2.500	3.873	2.498	2.498		
0	3.869	3.879		3.874	3,873	3.873	3.872		
Р	0.115	0.135		. 127	.126	.126	1.126		
Q	0.115	0.135	,	135	1,135	.126	.135		
R	0.240	0.260		.257	-2570	.251	2572		
S	0.115	0.135		.131	.133	.133	.134		
T	0.178	0.198		-188	.188	. 188	. 188		
U	2.940	2.980		2.960	2.960	2966	2.960		
V	0.230	0.250		-241	.241	,240	,242		
W	0.115	0.135		. (33	1.133	.134	.133		
X	0.307	0.312		.3/0	.311	. 3//	.311		
Υ	0.760	0.765		760	760	760	.760		
Z	0.352	0.372		1.365	-366	.367	.367		
AA	0.470	0.530		.500	. SD0	1.500	5/26		
AB	0.615	0.635		.1,28	.427	1027	628		
AC	0.053	0.073		-063	.063	-063	.063		1
AD	0.240	0.260		1.254	.254	.252	253		
AE	1.375	1.395		1.385	1.385	1.385	1.385		
AF	0.115	0.135		-135	.135	1./35	.135		
AG	0.240	0.280		.260	260	-258	.256		
AH	0.240	0.260	- 18	,257	251	.250	, 250		
ΑI	2.000	2.020	1,0	2.003	2.001	2.003	2.002		
AJ	0.023	0.043		1033	.033	033	.033		
	Ac	cept/Reje	ct						

Measured by:	cmp.	Audited by	D-L ,
Date:	08/09/23	Date:	08/09/26

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.24	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	-1
E	05.12.05	Added dimension AJ	KJ/JLM 🕳	



				41
			·	
				100
				i.
				•
	· · · · · · · · · · · · · · · · · · ·			•
	# * 			
		<u>*</u> )		
			•	
	+			
		4		İ
3				
		4.		
	# **			1
				•
			₽0	
		•		
			1	
				1
	à la company de			
	inde-		· · · · · · · · · · · · · · · · · · ·	•
			• •	25.00